

Mapping Bibliography

Search Keyed to 1X2°

Delta

Tuesday, December 31, 2002

Ref#

- 106 Afrasiabi, H., 1981, A study of mineralization in the Dugway Range, Tooele County, Utah, Salt Lake City, University of Utah M.S. thesis 75 p.. Scale: 320
 Latitude: N: 400000 S: 395900 Longitude: W 1131500 E: 1130730
- 1267 Almond, Hy; Morris, H.T., 1951, Geochemical techniques as applied in recent investigations in the Tintic district, Utah, Economic Geology v. 46, p. 608-625, figs. 1 and 3. Scale: 4000
 Latitude: N: 395500 S: 395440 Longitude: W 1120500 E: 1120440
- 2601 Andereson, R.E., 1983, Cenozoic structural history of selected areas in the eastern Great Basin, Nevada-Utah, U.S. Geological Survey Open-File Report OF 83-504, 47 p., pl. 2. Scale: 25000
 Latitude: N: 394000 S: 392640 Longitude: W 1134308 E: 1133855
- 1488 Anderson, R.E., 1983, Cenozoic structural history of selected areas in the eastern Great Basin, Nevada-Utah, U.S. Geological Survey Open-File Report OF 83-504, 47 p., pl. 1. Scale: 25000
 Latitude: N: 391000 S: 390700 Longitude: W 1135040 E: 1134600
- 1745 Andrews, D.A.; Hunt, C.B., 1948, Geologic map of eastern and southern Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-70. Scale: 500000
 Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1090000
- 774 Bailey, G.B., 1975, The occurrence, origin, and economic significance of gold-bearing jasperoids in the central Drum Mountains, Utah, Stanford, California, Stanford University Ph.D. dissertation 300 p.. Scale: 6240
 Latitude: N: 393500 S: 393100 Longitude: W 1130500 E: 1130000
- 2565 Bankey, Viki; Cook, K.L., 1989, Complete Bouguer gravity map and related geophysical maps of the Delta 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-2081-A. Scale: 250000
 Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000
- 756 Bauer, H.L., 1951, Fluorspar deposits, north end of Spor Mountain, Thomas Range, Juab County, Utah, Salt Lake City, University of Utah M.S. thesis 47 p.. Scale: 6000
 Latitude: N: 394600 S: 394430 Longitude: W 1131130 E: 1131100
- 1505 Bedinger, M.S.; Sargent, K.A.; Langer, W.H., 1984, Studies of geology and hydrology in the Basin and Range province, southwestern United States, for isolation of high-level radioactive waste, U.S. Geological Survey Open-File Report OF 84-744, 139 p., pl. 1 and 5. Scale: 500000
 Latitude: N: 410000 S: 380000 Longitude: W 1143000 E: 1123000
- 805 Bick, K.F., 1958, Geology of the Deep Creek Mountains, western Utah, New Haven, Connecticut, Yale University Ph.D. dissertation 120 p., pl. 1. Scale: 66172
 Latitude: N: 400000 S: 394100 Longitude: W 1140230 E: 1134500
- 78 Bick, K.F., 1966, Geology of the Deep Creek Mountains, Tooele and Juab Counties, Utah, Utah Geological and Mineralogical Survey Bulletin 77, 120 p., pl. 1. Scale: 66172
 Latitude: N: 400000 S: 394100 Longitude: W 1140230 E: 1134500
- 1834 Bjorklund, L.J.; Robinson, G.B., Jr., 1968, Ground-water resources of the Sevier River basin between Yuba Dam and Leamington Canyon, Utah, U.S. Geological Survey Water Supply Paper W-1848, 79 p., pl. 1. Scale: 62500

Latitude: N: 392730 S: 391500 Longitude: W 1121200 E: 1120100

Page 1 of 19

- Ref#
- 1948 Boutwell, J.M., 1933, The Salt Lake region, 16th International Geological Congress Guidebook 17, 149 p., fig.
 15. Scale: 73000
 Latitude: N: 395745 S: 395430 Longitude: W 1120800 E: 1120245
- 1732 Boutwell, J.M., 1933, The Salt Lake region, 16th International Geological Congress Guidebook 17, 149 p., fig.
 19. Scale: 24000
 Latitude: N: 395800 S: 395620 Longitude: W 1120415 E: 1120245
- 767 Boutwell, J.M., 1933, The Salt Lake Region, 16th International Geological Congress Guidebook 17, 149 p.,
 fig. 21. Scale: 24000
 Latitude: N: 395845 S: 395620 Longitude: W 1120500 E: 1120300
- 1731 Boutwell, J.M., 1933, The Salt Lake region, 16th International Geological Congress Guidebook 17, 149 p., pl.
 12. Scale: 62500
 Latitude: N: 395845 S: 395500 Longitude: W 1120830 E: 1120230
- 2580 Brown, R.P., 1975, A regional gravity survey of the Sanpete-Sevier valleys and adjacent areas in Utah, Salt Lake City, University of Utah M.S. thesis fig. 5. Scale: 400000
 Latitude: N: 400000 S: 384500 Longitude: W 1122000 E: 1111500
- 776 Campbell, J.A., 1978, Cenozoic structural and geomorphic evolution of the Canyon Range, central Utah, Salt Lake City, University of Utah Ph.D. dissertation 145 p., fig. 2. Scale: 62500
 Latitude: N: 393500 S: 390930 Longitude: W 1122330 E: 1120400
- 1876 Campbell, J.A., 1979, Middle to late Cenozoic stratigraphy and structural development of the Canyon Range, central Utah, Utah Geology v. 6, no. 1, p. 1-16, fig. 1. Scale: 250000
 Latitude: N: 393500 S: 390600 Longitude: W 1122500 E: 1120500
- 2622 Chew, R.T. III, 1956, Uranium and Vanadium deposits of the Colorado Plateau that produced more than 1,000 tons of ore through June 30, 1955, U.S. Geological Survey Mineral Investigations Field Studies Map MF-54.
 Scale: 750000
 Latitude: N: 403000 S: 363000 Longitude: W 1134500 E: 1070000
- 1169 Chidsey, T.C., Jr., 1977, Attenuation faulting and alteration in the northern House Range, Utah, Provo, Utah, Brigham Young University M.S. thesis 100 p.. Scale: 28000
 Latitude: N: 393730 S: 392845 Longitude: W 1132500 E: 1132000
- 2165 Chidsey, T.C., Jr., 1978, Intrusions, alterations, and economic implications in the northern House Range, [Juab and Millard Counties] Utah, Brigham Young University Geology Studies v. 25, pt. 3, p. 47-65, fig. 7. Scale: 28000
 Latitude: N: 393615 S: 392845 Longitude: W 1132355 E: 1132000
- 1088 Chidsey, T.C., Jr., 1978, Stratigraphy and attenuation faulting in the northern House Range, Utah, Utah Geological and Mineral Survey Utah Geology v. 5, no. 2, p. 143-156, pl. 1. Scale: 28000
 Latitude: N: 393730 S: 392845 Longitude: W 1132500 E: 1132000
- 835 Christiansen, F.W., 1948, Geology of the Canyon Range, Utah, unpublished map Draft copy . Scale: 62500
 Latitude: N: 393500 S: 391345 Longitude: W 1122345 E: 1120630

1135 Christiansen, F.W., 1951, in Christiansen, F.W., editor, Geology of the Canyon, House and Confusion Ranges, Millard County, Utah A summary of the structure and stratigraphy of the Canyon Range, Intermountain Association of Petroleum Geologists Guidebook to the Geology of Utah no. 6, p. 5-18, pl. 1. Scale: 66700

Latitude: N: 393500 S: 391345 Longitude: W 1122345 E: 1120630

- Ref#
- 43 Christiansen, F.W., 1952, Structure and stratigraphy of the Canyon Range, central Utah, Geological Society of America Bulletin v. 63, p. 717-740, pl. 1. Scale: 62500
Latitude: N: 393500 S: 391345 Longitude: W 1122345 E: 1120630
- 777 Christiansen, W.J., 1977, Geology of the Fish Springs mining district, Juab County, Utah, Salt Lake City, University of Utah M.S. thesis 66 p.. Scale: 4800
Latitude: N: 395230 S: 385100 Longitude: W 1132730 E: 1132600
- 2618 Cluff, L.S.; Brogan, G.E.; Glass, C.E., 1970, in Cluff, L.S., Brogan, G.E., and Glass, C.E., Earthquake fault investigation and evaluation Wasatch Fault, Woodward, Clyde, and Assoc. for Utah Geological and Mineralogical Survey Contract Report northern portion - southern portion. Scale: 24000
Latitude: N: 413700 S: 391230 Longitude: W 1120500 E: 1113100
- 600 Cohenour, R.E., 1957, Geology of the Sheepprock Mountains, Tooele and Juab Counties, Utah, Salt Lake City, University of Utah Ph.D. dissertation 209 p.. Scale: 31680
Latitude: N: 401000 S: 394830 Longitude: W 1124100 E: 1122400
- 1118 Cohenour, R.E., 1959, Sheepprock Mountains, Tooele and Juab Counties, Utah Geological and Mineralogical Survey Bulletin 63, 201 p., pl. 1. Scale: 133400
Latitude: N: 400930 S: 394600 Longitude: W 1124030 E: 1122400
- 1138 Cook, D.R., 1957, in Cook, D.R., editor, Geology of the East Tintic Mountains and ore deposits of the Tintic mining districts Ore deposits of the Main Tintic mining district, Utah Geological Society Guidebook to the Geology of Utah no. 12, p. 57-79, pl. 4. Scale: 15500
Latitude: N: 395930 S: 395500 Longitude: W 1120830 E: 1120500
- 689 Costain, J.K., 1960, Geology of the Gilson Mountains and vicinity, Juab County, Utah, Salt Lake City, University of Utah Ph.D. dissertation 139 p.. Scale: 42000
Latitude: N: 394600 S: 393200 Longitude: W 1122200 E: 1120430
- 1821 Crittenden, M.D., Jr.; Straczek, J.A.; Roberts, R.J., 1961, in Manganese deposits in the Drum Mountains, Juab and Millard Counties, Utah Geologic map and section of the central part of the Detroit district, Juab County, Utah, U.S. Geological Survey Bulletin 1082-H, 51 p., pl. 20. Scale: 12000
Latitude: N: 393455 S: 393250 Longitude: W 1130305 E: 1130125
- 1822 Crittenden, M.D., Jr.; Straczek, J.A.; Roberts, R.J., 1961, in Manganese deposits in the Drum Mountains, Juab and Millard Counties, Utah Geologic map and sections of the Staats-Pratt mine area,, U.S. Geological Survey Bulletin 1082-H, 51 p., pl. 21. Scale: 24000
Latitude: N: 393425 S: 393320 Longitude: W 1130220 E: 1130130
- 2575 Currey, D.R.; Atwood, G.; Mabey, D.R., 1984, Major levels of Great Salt Lake and Lake Bonneville, Utah Geological and Mineral Survey Map 73. Scale: 750000
Latitude: N: 421500 S: 380000 Longitude: W 1141000 E: 1115000
- 2034 Davis, F.D., 1992, Interim geologic map of the McCornick quadrangle, Millard County, Utah, Utah Geological Survey Open-File Report 258, 49 p.. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1123000 E: 1122230
- 2259 Davis, F.D., 1994, Geologic map of the McCornick quadrangle, Millard County, Utah, Utah Geological Survey

Map 165, pl. 1. Scale: 24000

Latitude: N: 391500 S: 390730

Longitude: W 1123000 E: 1122230

1744 Dennis, P.E.; Maxey, G.B.; Thomas, H.E., 1946, Ground water in Pavant Valley, Millard County, Utah,
Utah

State Engineer Technical Publication 3, 96 p., pl. 1.

Scale: 62500

Latitude: N: 390255 S: 384620

Longitude: W 1123215 E: 1121730

Ref#

- 918 Dommer, M.L., 1979, The geology of the Drum Mountains, Millard and Juab Counties, Utah, Brigham Young University Geology Studies v. 27, pt. 3, p. 55-72, fig. 4. Scale: 40000
 Latitude: N: 394130 S: 393000 Longitude: W 1131500 E: 1125630
- 1231 Dommer, M.L., 1979, The geology of the Drum Mountains, Millard and Juab Counties, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 40000
 Latitude: N: 394130 S: 393000 Longitude: W 1131500 E: 1125630
- 1268 Farmin, Rollin, 1934, "Pebble dikes" and associated mineralization at Tintic, Utah [areal geology near Old Beck Tunnel], Economic Geology v. 29, no. 4, p. 356-370. Scale: 6000
 Latitude: N: 395600 S: 395550 Longitude: W 1120500 E: 1120450
- 1833 Feltis, R.D., 1967, Ground-water conditions in Cedar Valley, Utah County, Utah, Utah State Engineer Technical Publication 16, 34 p., fig. 3. Scale: 195000
 Latitude: N: 402200 S: 395500 Longitude: W 1121500 E: 1115300
- 2542 Finch, W.I. (Compiler), 1955, Preliminary geologic map showing the distribution of uranium deposits and principal ore-bearing formations of the Colorado Plateau region, U.S. Geological Survey Mineral Investigations Field Studies Map MF-16. Scale: 500000
 Latitude: N: 403000 S: 341500 Longitude: W 1134500 E: 1070000
- 1754 Frey, Eugene; Wilson, S.R., 1949, Topographic and geologic plan map of the Huber-Rydalch manganese deposits, Tooele County, Utah, U.S. Bureau of Mines Report of Investigation 4601, fig. 2. Scale: 1800
 Latitude: N: 395453 S: 395448 Longitude: W 1124340 E: 1124333
- 1074 Galyardt, G.L.; Rush, F.E., 1981, Geologic map of the Crater Springs known geothermal resources area and vicinity, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1297, pl. 1. Scale: 24000
 Latitude: N: 394152 S: 393216 Longitude: W 1125230 E: 1124110
- 736 Gardner, W.C., 1954, Geology of the West Tintic mining district and vicinity, Juab County, Utah, Salt Lake City, University of Utah M.S. thesis 43 p.. Scale: 20000
 Latitude: N: 395630 S: 394730 Longitude: W 1122500 E: 1121800
- 693 Gehman, H.M., Jr., 1954, Geology of the north Notch Peak intrusive, Millard County, Utah, Ithaca, New York, Cornell University M.S. thesis 69 p.. Scale: 20500
 Latitude: N: 391200 S: 390900 Longitude: W 1132730 E: 1132000
- 1101 Gehman, H.M., Jr., 1958, Notch Peak intrusive, Millard County, Utah, geology, petrogenesis, and economic deposits, Utah Geological and Mineralogical Survey Bulletin 62, 50 p., pl. 1. Scale: 50700
 Latitude: N: 391200 S: 390900 Longitude: W 1132730 E: 1132000
- 1697 Gilbert, G.K., 1890, Lake Bonneville, U.S. Geological Survey Monograph 1, 333 p., pl. 32. Scale: 20000
 Latitude: N: 395635 S: 395410 Longitude: W 1125230 E: 1125000
- 1648 Gilbert, G.K., 1890, Lake Bonneville, U.S. Geological Survey Monograph 1, 333 p., pl. 35. Scale: 93750

Latitude: N: 390200 S: 384800 Longitude: W 1123800 E: 1123000

581 Goode, H.D., 1959, Surficial deposits, geomorphology and Cenozoic history of the Eureka quadrangle,
Utah,

U.S. Geological Survey Open-File Report OF 59-43, 126 p.. Scale: 20000

Latitude: N: 400000 S: 395230 Longitude: W 1120730 E: 1120000

- Ref#
- 1544 Goode, H.D., 1959, in Goode, H.D., Surficial deposits, geomorphology, and Cenozoic history of the Eureka quadrangle Surficial geologic map of the Eureka quadrangle, Utah, Boulder, University of Colorado Ph.D. dissertation 120 p., pl. 1. Scale: 20000
 Latitude: N: 400000 S: 395230 Longitude: W 1120730 E: 1120000
- 2559 Grauch, V.J.S.; Plesha, J.L., 1989, Aeromagnetic maps of the Uinta and Piceance Basins and vicinity, Utah and Colorado, U.S. Geological Survey Miscellaneous Field Studies Map MF-2008-C, 2 sheets, plates 1 and 2.
 Scale: 500000
 Latitude: N: 410000 S: 380000 Longitude: W 1130000 E: 1063500
- 604 Groff, S.L., 1959, The geology of the West Tintic Range and vicinity, Tooele and Juab Counties, Utah, Salt Lake City, University of Utah Ph.D. dissertation 183 p.. Scale: 21120
 Latitude: N: 400500 S: 394500 Longitude: W 1122500 E: 1121500
- 685 Haenggi, W.T., 1957, Geology of the Cowboy Pass area, Confusion Range, Millard County, Utah, Austin, University of Texas M.S. thesis 65 p.. Scale: 26400
 Latitude: N: 392630 S: 391700 Longitude: W 1134500 E: 1133500
- 73 Hanks, K.L., 1962, Geology of the central House Range area, Millard County, Utah, Brigham Young University Geology Studies v. 9, pt. 2, p. 115-136. Scale: 63360
 Latitude: N: 391500 S: 391030 Longitude: W 1133000 E: 1131500
- 922 Hanks, K.L., 1962, Geology of the central House Range area, Millard County, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 63360
 Latitude: N: 391500 S: 391030 Longitude: W 1133000 E: 1131500
- 2540 Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000
 Latitude: N: 440000 S: 340000 Longitude: W 1200000 E: 1080000
- 1227 Harris, D.P., 1958, The Geology of the Dutch Peak area, Sheeprock Range, Tooele County, Utah, Brigham Young University Resource Studies, Geology Series v. 5, no. 1, 82 p.. Scale: 20000
 Latitude: N: 395830 S: 395230 Longitude: W 1123330 E: 1122630
- 925 Harris, D.P., 1958, The geology of the Dutch Peak area, Sheeprock Range, Tooele County, Utah, Provo, Utah, Brigham Young University M.S. thesis 82 p.. Scale: 20000
 Latitude: N: 395830 S: 395200 Longitude: W 1123330 E: 1122630
- 2573 Harty, K.M., 1992, Landslide map of the Lynndyl 30'x60' quadrangle, Utah, Utah Geological Survey Open-File Report 261. Scale: 100000
 Latitude: N: 400000 S: 393000 Longitude: W 1130000 E: 1120000
- 849 Hedden, A.H., Jr., 1948, The geology of the Pinyon Peak area, East Tintic Mountains, Utah, Pasadena, California Institute of Technology M.S. thesis 32 p.. Scale: 9600
 Latitude: N: 400030 S: 395900 Longitude: W 1120400 E: 1120330

1369 Heyl, A.V., 1963, Oxidized zinc deposits of the United States, part 2, Utah [Sketch map of the geology in the

Fish Springs district, Juab County, Utah, with some details of the mines in the southern part], U.S.

Geological

Survey Bulletin 1135-B, p. B1-B104, pl. 8.

Scale: 10600

Latitude: N: 395130 S: 395000

Longitude: W 1132700 E: 1132630

749 Higgins, J.M., 1981, Geology of the Champlin Peak quadrangle, Juab and Millard Counties, Utah, Provo, Utah,

Brigham Young University M.S. thesis 18 p..

Scale: 24000

Latitude: N: 393730 S: 393000

Longitude: W 1121500 E: 1120730

Ref#

- 1894 Higgins, J.M., 1982, Geology of the Champlin Peak quadrangle, Juab and Millard Counties, Utah, Brigham
Young University Geology Studies v. 29, no. 2, p. 40-58, fig. 7. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1121500 E: 1120730
- 842 Hintze, L.F., 1963, Geologic map of Utah (southwest quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
Latitude: N: 392230 S: 370000 Longitude: W 1140300 E: 1113730
- 1430 Hintze, L.F., 1963, in Heylman, E.B., editor, Guidebook to the geology of southwestern Utah - Transition between Basin-Range and Colorado Plateau provinces Lower Paleozoic of southwestern Utah, Intermountain Association of Petroleum Geologists Guidebook Twelfth Annual Field Conference, 232 p.. Scale: 250000
Latitude: N: 393000 S: 370000 Longitude: W 1140200 E: 1113500
- 94 Hintze, L.F., 1974, Preliminary geologic map of the Conger Mountain quadrangle, Millard County, Utah, U.S. Geological Survey Mineral Investigations Field Studies Map MF-634. Scale: 48000
Latitude: N: 391500 S: 390000 Longitude: W 1134500 E: 1133000
- 97 Hintze, L.F., 1974, Preliminary geologic map of the Notch Peak quadrangle, Millard County, Utah, U.S. Geological Survey Mineral Investigations Field Studies Map MF-636. Scale: 48000
Latitude: N: 391500 S: 390000 Longitude: W 1133000 E: 1131500
- 452 Hintze, L.F., 1980, Preliminary geologic map of Fish Springs NE and SE quadrangles, Juab and Tooele Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1147. Scale: 24000
Latitude: N: 395300 S: 394500 Longitude: W 1132230 E: 1131500
- 453 Hintze, L.F., 1980, Preliminary geologic map of Fish Springs NW and SW quadrangles, Juab and Tooele Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1148. Scale: 24000
Latitude: N: 395300 S: 394500 Longitude: W 1133000 E: 1132230
- 455 Hintze, L.F., 1980, Preliminary geologic map of the Sand Pass NE and SE quadrangles, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1150. Scale: 24000
Latitude: N: 394500 S: 393000 Longitude: W 1132230 E: 1131500
- 454 Hintze, L.F., 1980, Preliminary geologic map of the Sand Pass NW quadrangle, Juab County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1149. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1133000 E: 1132230
- 456 Hintze, L.F., 1980, Preliminary geologic map of the Sand Pass quadrangle, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1151. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1133000 E: 1132230
- 474 Hintze, L.F., 1981, Preliminary geologic map of the Marjum Pass and Swasey Peak SW quadrangles, Millard County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1332. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1133000 E: 1131500
- 475 Hintze, L.F., 1981, Preliminary geologic map of the Swasey Peak and Swasey Peak NW quadrangles, Millard County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1333. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1133000 E: 1131500
- 477 Hintze, L.F., 1981, Preliminary geologic map of the Whirlwind Valley NW and SW quadrangles, Millard County,

Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1335.

Latitude: N: 393000 S: 391500

Longitude: W 1131500

Scale: 24000

E: 1130730

Ref#
1553 Hintze, L.F., 1983, Preliminary geologic map of the Neels quadrangle, Millard County, Utah, Brigham Young University unpublished map . Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1125230 E: 1124500

1552 Hintze, L.F., 1983, Preliminary geologic map of the Red Pass quadrangle, Millard County, Utah, Brigham Young University unpublished map . Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1130000 E: 1125230

79 Hintze, L.F., 1984, Geology of the Cricket Mountains, Millard County, Utah, U.S. Geological Survey Open-File Report OF 84-683. Scale: 24000
Latitude: N: 390730 S: 384500 Longitude: W 1130730 E: 1124500

2059 Hintze, L.F., 1990, Interim geologic map of the Coffee Peak quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 227. Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1121500 E: 1120730

2063 Hintze, L.F., 1990, Interim geologic map of the Duggins Creek quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 224. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1122230 E: 1121500

2061 Hintze, L.F., 1990, Interim geologic map of the Fool Creek Peak quadrangle, Juab and Millard Counties, Utah, Utah Geological and Mineral Survey Open-File Report 220. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1121500 E: 1120730

2057 Hintze, L.F., 1990, Interim geologic map of the Holden quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 225. Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1122230 E: 1121500

2065 Hintze, L.F., 1990, Interim geologic map of the Mills quadrangle, Juab County, Utah, Utah Geological and Mineral Survey Open-File Report 226. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1120730 E: 1120000

2064 Hintze, L.F., 1990, Interim geologic map of the Oak City North quadrangle, Utah and Millard Counties, Utah, Utah Geological and Mineral Survey Open-File Report 221. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1122230 E: 1121500

2058 Hintze, L.F., 1990, Interim geologic map of the Oak City South quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 217. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1122230 E: 1121500

2056 Hintze, L.F., 1990, Interim geologic map of the Scipio Lake quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 228. Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1120730 E: 1120000

2062 Hintze, L.F., 1990, Interim geologic map of the Scipio North quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 219. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1120730 E: 1120000

2060 Hintze, L.F., 1990, Interim geologic map of the Williams Peak quadrangle, Juab and Millard Counties, Utah, Utah Geological and Mineral Survey Open-File Report 223. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1121500 E: 1120730

2040 Hintze, L.F., 1991, Interim geologic map of the Scipio Pass quadrangle, Millard County, Utah, Utah Geological

Survey Open-File Report 222. Scale: 24000

Latitude: N: 391500 S: 390730 Longitude: W 1121500 E: 1120730

Ref#
2399 Hintze, L.F., 1991, Interim geologic map of the Scipio South quadrangle, Millard County, Utah, Utah Geological Survey Open-File Report 218. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1120730 E: 1120000

1344 Hintze, L.F.; compiler, 1960, Preliminary geologic map of the Delta, Utah 1° x 2° quadrangle, Brigham Young University unpublished map . Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000

827 Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map A-1. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300

1343 Hintze, L.F.; Davis, F.D., 1988, Geology of the Tule Valley, Utah 30' X 60' quadrangle, Utah Geological and Mineral Survey Open-File Report 134, 27 p.. Scale: 100000
Latitude: N: 393000 S: 390000 Longitude: W 1140000 E: 1130000

1472 Hintze, L.F.; Davis, F.D., 1988, Preliminary geology of the Long Ridge quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 137, 11 p.. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1130730 E: 1130000

1473 Hintze, L.F.; Davis, F.D., 1988, Preliminary geology of the Red Knolls quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 136, 12 p.. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1130730 E: 1130000

2013 Hintze, L.F.; Davis, F.D., 1992, Geologic map of the Long Ridge quadrangle, Millard County, Utah, Utah Geological Survey Map 141, 10 p., pl. 1. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1130730 E: 1130000

2014 Hintze, L.F.; Davis, F.D., 1992, Geologic map of the Red Knolls quadrangle, Millard County, Utah, Utah Geological Survey Map 142, 10 p., pl. 1. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1130730 E: 1130000

1988 Hintze, L.F.; Oviatt, C.G., 1991, Geologic map of the Smelter Knolls West quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 205, 51 p., pl. 1. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1130000 E: 1125230

2127 Hintze, L.F.; Oviatt, C.G., 1993, Geologic map of the Smelter Knolls West quadrangle, Millard County, Utah, Utah Geological Survey Map 148, 21 p., pl. 1. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1130000 E: 1125230

2479 Hintze, L.F.; Willes, S.B., 1960, Geologic map of the northern Fish Springs Range, Juab County, Utah, Brigham Young University, Dept. of Geology unpublished map . Scale: 63360
Latitude: N: 395500 S: 394500 Longitude: W 1133000 E: 1132230

2477 Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM compact disc. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140400 E: 1090000

985 Hogg, N.C., 1972, Shoshonitic lavas (Cenozoic) in west central Utah [Fumarole Butte], Provo, Utah, Brigham Young University M.S. thesis fig. 4. Scale: 100000
Latitude: N: 395100 S: 393930 Longitude: W 1134100 E: 1133200

986 Hogg, N.C., 1972, Shoshonitic lavas (Cenozoic) in west central Utah, Brigham Young University Geology

Studies v. 19, pt. 2, p. 133-184, fig. 4.

Scale: 100000

Latitude: N: 395100 S: 393930

Longitude: W 1134100 E: 1133200

Ref#

- 1170 Holladay, J.C., 1983, Geology of the northern Canyon Range, Millard and Juab Counties, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1122100 E: 1120730
- 1835 Holladay, J.C., 1984, Geology of the northern Canyon Range, Millard and Juab Counties, Utah, Brigham Young University Geology Studies v. 31, p. 1-28, fig. 8. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1121900 E: 1120700
- 988 Hoover, J.D., 1973, Periodic Quaternary volcanism in the Black Rock Desert, Utah, Brigham Young University Geology Studies v. 21, pt. 1, p. 3-72, fig. 11. Scale: 280000
Latitude: N: 391400 S: 384630 Longitude: W 1124000 E: 1122700
- 987 Hoover, J.D., 1973, Periodic Quaternary volcanism in the Black Rock Desert, Utah, Provo, Utah, Brigham Young University M.S. thesis fig. 11. Scale: 280000
Latitude: N: 391400 S: 384630 Longitude: W 1124000 E: 1122700
- 263 Hose, R.K., 1963, Geologic map and sections of the Cowboy Pass NE [Coyote Knolls] quadrangle, Confusion Range, Millard County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-377. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1133730 E: 1133000
- 258 Hose, R.K., 1963, Geologic map and sections of the Cowboy Pass SE [Chalk Knolls] quadrangle, Confusion Range, Millard County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-391. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1133730 E: 1133000
- 438 Hose, R.K., 1965, Geologic map and sections of the Conger Range NE [Knoll Hill] quadrangle and adjacent area, Confusion Range, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-436. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1135230 E: 1134500
- 363 Hose, R.K., 1965, Geologic map and sections of the Conger Range SE quadrangle and adjacent area, [Buckskin Hills and Eskdale quadrangles] Confusion Range, Millard County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-435. Scale: 24000
Latitude: N: 390730 S: 390000 Longitude: W 1135638 E: 1134500
- 350 Hose, R.K., 1974, Geologic map of the Granite Mountain SW [Granite Mountain] quadrangle, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-831. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1134500 E: 1133730
- 351 Hose, R.K., 1974, Geologic map of the Trout Creek SE [Cockscomb Ridge] quadrangle, Juab and Millard Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-827. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1135230 E: 1134500
- 1818 Hose, R.K., 1977, Structural geology of the Confusion Range, west-central Utah, U.S. Geological Survey Professional Paper 971, 9 p., pl. 1. Scale: 125000
Latitude: N: 393730 S: 390000 Longitude: W 1135230 E: 1133000

264 Hose, R.K.; Repenning, C.A., 1963, Geologic map and sections of the Cowboy Pass NW [Big Horseshoe] quadrangle, Confusion Range, Millard County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-378. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1134500 E: 1133730

Ref#

- 268 Hose, R.K.; Repenning, C.A., 1964, Geologic map and sections of the Cowboy Pass SW [Cowboy Pass] quadrangle, Confusion Range, Millard County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-390. Scale: 24000
 Latitude: N: 392230 S: 391500 Longitude: W 1134500 E: 1133730
- 1872 Hose, R.K.; Repenning, C.A.; Ziony, J.I., 1960, Generalized geologic map of a part of the Confusion Range, Utah, U.S. Geological Survey Open-File Report OF 60-73. Scale: 48000
 Latitude: N: 393000 S: 391500 Longitude: W 1135200 E: 1133000
- 267 Hose, R.K.; Ziony, J.I., 1963, Geologic map and sections of the Gandy NE [Foote Range] quadrangle, Confusion Range, Millard County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-376. Scale: 24000
 Latitude: N: 393000 S: 392230 Longitude: W 1135230 E: 1134500
- 270 Hose, R.K.; Ziony, J.I., 1964, Geologic map and sections of the Gandy SE [North Knoll Spring] quadrangle, Confusion Range, Millard County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-393. Scale: 24000
 Latitude: N: 392230 S: 391500 Longitude: W 1135230 E: 1134500
- 2007 Howard, E.L.; compiler, 1978, Geologic map of the eastern Great Basin, Nevada and Utah [extreme western Tooele, Box Elder, and Millard Counties], Lakewood, Colorado, Terrascan Group Limited sheet 2. Scale: 250000
 Latitude: N: 410000 S: 383000 Longitude: W 1163000 E: 1134500
- 2537 Johnson, S.Y.; Johnson, R.C., 1991, Stratigraphic and time-stratigraphic cross sections of phanerozoic rocks along line A-A', Uinta and Piceance Basin area-Eagle Basin, Colorado, to Eastern Basin and Range area, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2184-A. Scale: 500000
 Latitude: N: 410000 S: 390000 Longitude: W 1130000 E: 1070000
- 2438 Johnson, W.D., 1984, Map showing outcrops of thick, dominantly argillaceous sedimentary and metasedimentary rocks, Basin and Range Province, Utah, U.S. Geological Survey Water Resources Investigations Report WRI-83-4122-E. Scale: 500000
 Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1120000
- 932 Kattleman, D.F., 1967, Geology of the Desert Mountain intrusives, Juab County, Utah, Provo, Utah, Brigham Young University M.S. thesis. Scale: 45000
 Latitude: N: 394900 S: 394300 Longitude: W 1123930 E: 1123200
- 1116 Kattleman, D.F., 1968, Geology of the Desert Mountain intrusives, Juab County, Utah, Brigham Young University Geology Studies v. 15, p. 85-108, pl. 1. Scale: 45000
 Latitude: N: 394900 S: 394300 Longitude: W 1123930 E: 1123200
- 1976 Keith, J.D.; Kim, C.S., 1990, Tertiary geology of the southern portion of the Eureka quadrangle, Juab and Utah Counties, Utah, Utah Geological and Mineral Survey Open-File Report 199, 22 p.. Scale: 24000
 Latitude: N: 395615 S: 395230 Longitude: W 1120730 E: 1120000
- 1428 Kelley, D.L.; Arbogast, B.F.; Adrian, B.M.; Yambrick, R.A., 1987, Analytical results of rock samples and revised geologic map of the Dugway mining district, Tooele County, Utah, U.S. Geological Survey Open-File Report OF 87-299, 27 p., pl. 1. Scale: 12000
 Latitude: N: 400200 S: 395700 Longitude: W 1131430 E: 1130830

Ref#

- 1492 Kelley, D.L.; Yambrick, R.A., 1988, Map showing wallrock alteration and geology of the Dugway mining district, northern Dugway Range, Tooele County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-2045. Scale: 12000
Latitude: N: 400200 S: 395700 Longitude: W 1131300 E: 1130900
- 686 Kepper, J.C., 1960, Stratigraphy and structure of the southern half of the Fish Springs Range, Juab County, Utah, Seattle, University of Washington M.S. thesis 92 p.. Scale: 20000
Latitude: N: 394500 S: 393630 Longitude: W 1132830 E: 1132300
- 937 Leedom, S.H., 1973, Little Drum Mountains, an early Tertiary shoshonitic volcanic center in Millard County, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 48000
Latitude: N: 393300 S: 392500 Longitude: W 1130730 E: 1130000
- 1297 Leedom, S.H., 1974, Little Drum Mountains, an early Tertiary shoshonitic volcanic center in Millard County, Utah, Brigham Young University Geology Studies v. 21, pt. 1, p. 73-108, pl. 1. Scale: 48000
Latitude: N: 393300 S: 392500 Longitude: W 1130730 E: 1130000
- 114 Lindgren, Waldemar; Loughlin, G.F., 1919, Geology and ore deposits of the Tintic mining district, Utah, U.S. Geological Survey Professional Paper 107, 282 p., pl. 1. Scale: 62500
Latitude: N: 395800 S: 395400 Longitude: W 1120900 E: 1120530
- 466 Lindsey, D.A., 1979, Geologic map and cross-sections of Tertiary rocks in the Thomas Range and northern Drum Mountains, Juab County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1176, 1 pl.. Scale: 62500
Latitude: N: 395000 S: 393315 Longitude: W 1131500 E: 1130000
- 2481 Lindsey, D.A., 1979, Geologic map and cross-sections of Tertiary rocks in the Thomas Range and northern Drum Mountains, Juab County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1176. Scale: 62500
Latitude: N: 395000 S: 393330 Longitude: W 1131500 E: 1130000
- 2620 Lindsey, D.A., 1981, Volcanism and Uranium Mineralization at Spor Mountain, American Association of Petroleum Geologists Studies in Geology no. 13, p. 89-98, fig. 1. Scale: 475000
Latitude: N: 401500 S: 391500 Longitude: W 1140000 E: 1122000
- 2619 Lindsey, D.A., 1981, in Lindsey, D.A., Volcanism and Uranium Mineralization at Spor Mountain, Utah Simplified Range and northern Drum Mountains, American Association of Petroleum Geologists Studies in Geology no. 13, p. 89-98, fig. 2. Scale: 200000
Latitude: N: 395000 S: 393300 Longitude: W 1131500 E: 1130000
- 1892 Lindsey, D.A., 1982, Tertiary volcanic rocks and uranium in the Thomas Range and northern Drum Mountains, Juab County, Utah, U.S. Geological Survey Professional Paper 1221, 71 p., fig. 15. Scale: 100000
Latitude: N: 394540 S: 394140 Longitude: W 1131100 E: 1130700

1893 Lindsey, D.A., 1982, Tertiary volcanic rocks and uranium in the Thomas Range and northern Drum Mountains, Juab County, Utah, U.S. Geological Survey Professional Paper 1221, 71 p., fig. 2.

Scale:

370000

Latitude: N: 395000 S: 393300

Longitude: W 1131500 E: 1130000

Ref#

- 1939 Lindsey, D.A.; Yambrick, R.A., 1989, Mineral resources of the Swasey Mountain and Howell Peak wilderness study areas, Millard County, Utah, U.S. Geological Survey Bulletin 1749-A, p. A1-A21, pl. 1. Scale: 50000
Latitude: N: 393730 S: 391400 Longitude: W 1132230 E: 1131500
- 555 Lovering, T.S.; Morris, H.T.; Stoll, W.M.; Wagner, H.V.; Wadsworth A.H.; Stringham, B.F.; Hilpert, Lowell; Terrones, Alberto; Smith, J. Fred, 1960, Geologic and alteration maps of the East Tintic district, Utah, U.S. Geological Survey Mineral Investigations Field Studies Map MF-230, 2 sheets. Scale: 9600
Latitude: N: 400000 S: 395500 Longitude: W 1120530 E: 1120000
- 2530 Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901-B. Scale: 1000000
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1020000
- 1826 Mabey, D.R.; Crittenden, M.D., Jr.; Morris, H.T.; Roberts, R.J.; Tooker, E.W., 1964, Aeromagnetic and generalized geologic map of part of north-central Utah, U.S. Geological Survey Geophysical Investigations Map GP-422, pl. 1. Scale: 250000
Latitude: N: 410000 S: 393000 Longitude: W 1123000 E: 1113000
- 1536 Mabey, D.R.; Morris, H.T., 1967, Geologic interpretation of gravity and aeromagnetic maps of Tintic Valley and adjacent areas, Tooele and Juab Counties, Utah, U.S. Geological Survey Professional Paper 516-D, p. D1-D10, pl. 1. Scale: 125000
Latitude: N: 400000 S: 394400 Longitude: W 1124600 E: 1120000
- 1283 Maxey, G.B., 1946, Geology of part of the Pavant Range, Millard County, Utah, American Journal of Science v. 244, p. 324-256, pl. 1. Scale: 198000
Latitude: N: 390330 S: 384400 Longitude: W 1122830 E: 1120800
- 2009 Michaels, R.B.; Hintze, L.F., 1992, Interim geologic map of the Scipio Pass quadrangle, Millard County, Utah, Utah Geological Survey Open-File Report 246, 91 p.. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1121500 E: 1120730
- 2265 Michaels, R.B.; Hintze, L.F., 1994, Geologic map of the Scipio Pass quadrangle, Millard County, Utah, Utah Geological Survey Map 164, 25 p., pl. 1. Scale: 24000
Latitude: N: 391500 S: 390730 Longitude: W 1121500 E: 1120730
- 994 Millard, A.W., Jr., 1982, Geology of the southwestern quarter of the Scipio North [Williams Peak] quadrangle, Millard and Juab Counties, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1121500 E: 1120730
- 995 Millard, A.W., Jr., 1983, Geology of the southwestern quarter of the Scipio North [Williams Peak] quadrangle, Millard and Juab Counties, Utah, Brigham Young University Geology Studies v. 30, pt. 1, p. 59-82, fig. 4. Scale: 24000
Latitude: N: 392230 S: 391500 Longitude: W 1121500 E: 1120730
- 1173 Misch, Peter; Hazzard, J.C., 1962, Stratigraphy and metamorphism of Late Precambrian rocks in central northeastern Nevada and adjacent Utah, American Association of Petroleum Geologists Bulletin v. 46, p.

289-343, fig. 3. Scale: 36000

Latitude: N: 394640 S: 394445

Longitude: W 1135530 E: 1135130

879 Morris, H.T., 1947, The igneous rocks of the East Tintic mining district, Utah, Salt Lake City, University of Utah

M.S. thesis 30 p., pl. 2. Scale: 50000

Latitude: N: 400000 S: 395500

Longitude: W 1120530 E: 1120000

Ref#

1139 Morris, H.T., 1957, in Cook, D.R., editor, Geology of the East Tintic Mountains and ore deposits of the Tintic mining districts General geology of the East Tintic Mountains, Utah, Utah Geological Society Guidebook to the

Geology of Utah no. 12, p. 1-56, pl. 1. Scale: 84480
Latitude: N: 401620 S: 393730 Longitude: W 1121730 E: 1115730

938 Morris, H.T., 1964, Geology of the Eureka quadrangle, Utah and Juab Counties, Utah, U.S. Geological Survey

Bulletin 1142-K, p. 1-29, pl. 1. Scale: 24000
Latitude: N: 400000 S: 395230 Longitude: W 1120730 E: 1120000

269 Morris, H.T., 1964, Geology of the Tintic Junction quadrangle, Tooele, Juab, and Utah Counties, Utah, U.S.

Geological Survey Bulletin 1142-L, p. 1-23, pl. 1. Scale: 24000
Latitude: N: 400000 S: 395230 Longitude: W 1121500 E: 1120730

357 Morris, H.T., 1975, Geologic map and sections of the Tintic Mountain quadrangle and adjacent part of the

McIntyre quadrangle, Juab and Utah Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-883. Scale: 24000

Latitude: N: 395230 S: 394500 Longitude: W 1121000 E: 1120000

1051 Morris, H.T., 1977, Geologic map of the Furner Ridge quadrangle, Juab County, Utah, U.S. Geological Survey

Miscellaneous Investigations Series Map I-1045. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1120730 E: 1120000

1850 Morris, H.T., 1978, Preliminary geologic map of the Delta 1° x 2° quadrangle, west-central Utah, U.S. Geological Survey Open-File Report OF 78-705. Scale: 250000

Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000

1081 Morris, H.T., 1978, Unprospected zone of pyritic alteration in west-central Utah, U.S. Geological Survey Open-File Report OF 78-791, 10 p.. Scale: 10000

Latitude: N: 395030 S: 394800 Longitude: W 1135430 E: 1135300

1404 Morris, H.T., 1987, Preliminary geologic map of the Delta 1° x 2° quadrangle, Tooele, Juab, Millard, and Utah

Counties, Utah, U.S. Geological Survey Open-File Report OF 87-185. Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1140000 E: 1120000

2571 Morris, H.T., 1987, Preliminary geologic structure map of the Delta 2 degree quadrangle and adjacent areas,

west-central Utah, U.S. Geological Survey Open-File Report OF 87-189. Scale: 500000
Latitude: N: 401500 S: 390000 Longitude: W 1140000 E: 1113000

2169 Morris, H.T.; Kopf, R.W., 1967, Breccia pipes in the West Tintic and Sheepprock Mountains, Utah, U.S. Geological Survey Professional Paper 575-C, p. 66-71, fig. 2. Scale: 56000

Latitude: N: 395330 S: 394900 Longitude: W 1122400 E: 1121700

565 Morris, H.T.; Kopf, R.W., 1970, Preliminary geologic map and cross-sections of Maple Peak quadrangle and adjacent part of Sabie Mountain quadrangle, Juab County, Utah, U.S. Geological Survey Open-File Report OF 70-234. Scale: 24000

Latitude: N: 395400 S: 394500 Longitude: W 1122230 E: 1121500

590 Morris, H.T.; Kopf, R.W., 1970, Preliminary geologic map and cross-sections of the Cherry Creek quadrangle

and adjacent part of the Dutch Peak quadrangle, Juab County, Utah, U.S. Geological Survey Open-File

Report

OF 70-233. Scale: 24000

Latitude: N: 395400 S: 394500

Longitude: W 1123000 E: 1122230

1197 Morris, H.T.; Kopf, R.W., 1985, Preliminary geologic map of the Indian Springs quadrangle and adjacent part of the Coyote Springs quadrangle, Tooele and Juab Counties, Utah, U.S. Geological Survey unpublished map .

Scale: 24000

Latitude: N: 400000 S: 395230

Longitude: W 1125000 E: 1123730

- Ref#
 1825 Morris, H.T.; Lovering, T.S., 1961, Stratigraphy of the East Tintic Mountains, Utah, U.S. Geological Survey Professional Paper 361, 145 p., pl. 2. Scale: 96000
 Latitude: N: 401620 S: 393720 Longitude: W 1121730 E: 1115740
- 1824 Morris, H.T.; Lovering, T.S.; Mogensen, A.P.; Shepard, W.M.; Perry, L.I.; Smith, S.M., 1979, General geology and mines of the East Tintic Mining District, Utah and Juab Counties, Utah, U.S. Geological Survey Professional Paper 1024, 203 p., pl. 1. Scale: 9600
 Latitude: N: 400000 S: 395500 Longitude: W 1120530 E: 1120000
- 2000 Morris, H.T.; Mogensen, A.P., 1978, Tintic mining district, Utah, Brigham Young University Geology Studies v. 25, pt. 1, p. 33-45, fig. 4. Scale: 89000
 Latitude: N: 400000 S: 395000 Longitude: W 1121000 E: 1120000
- 1827 Morris, H.T.; Mogensen, A.P., 1978, Tintic mining district, Utah, Brigham Young University Geology Studies v. 25, pt. 1, p.33-45, fig. 2A. Scale: 89000
 Latitude: N: 400000 S: 395000 Longitude: W 1121000 E: 1120000
- 1366 Morris, H.T.; Mogensen, A.P., 1978, in Shawe, D.R., editor, Guidebook to mineral deposits of southwestern Utah Tintic mining district, Juab and Utah Counties, Utah, Utah Geological Association Publication 7, p. 41-47, fig. 1. Scale: 90000
 Latitude: N: 400000 S: 395000 Longitude: W 1121000 E: 1120000
- 714 Muessig, S.J., 1951, Geology of a part of Long Ridge, Utah, Columbus, Ohio State University Ph.D. dissertation 213 p., pl. 1. Scale: 31680
 Latitude: N: 395700 S: 392800 Longitude: W 1120130 E: 1115000
- 896 Murphy, C.M., 1975, Stratigraphy and metamorphic petrography of a Late Precambrian diamictite, Deep Creek Mountains, Utah, Lincoln, University of Nebraska M.S. thesis 127 p.. Scale: 27000
 Latitude: N: 394710 S: 394445 Longitude: W 1135430 E: 1135130
- 684 Nelson, R.B., 1959, The stratigraphy and structure of the northernmost part of the northern Snake Range and the Kern Mountains in eastern Nevada and the southern Deep Creek Range in western Utah, Seattle, University of Washington Ph.D. dissertation 165 p.. Scale: 62500
 Latitude: N: 395020 S: 392620 Longitude: W 1142200 E: 1135030
- 1063 Nelson, R.B., 1966, Structural development of northernmost Snake Range, Kern Mountains, and Deep Creek Range, Nevada and Utah, American Association of Petroleum Geologists Bulletin v. 50, p. 921-951, fig. 1. Scale: 224000
 Latitude: N: 395230 S: 392700 Longitude: W 1140300 E: 1135100
- 758 Newell, R.A., 1971, Geology and geochemistry of the northern Drum Mountains, Juab County, Utah, Golden, Colorado School of Mines M.S. thesis 115 p., pl. 1. Scale: 24000
 Latitude: N: 394000 S: 393200 Longitude: W 1130800 E: 1125500
- 1519 Nutt, C.J.; Thorman, C.H., 1994, Geologic map of the Weaver Canyon, Nevada and Utah, quadrangle and parts of the Ibapah Peak, Utah, and Tippett Canyon, Nevada, quadrangles, U.S. Geological Survey Open-File Report OF 94-635, 6 p., sh. 1. Scale: 24000
 Latitude: N: 395230 S: 394500 Longitude: W 1141000 E: 1135730

2480 Nutt, C.J.; Thorman, C.H., 1994, Geologic map of the Weaver Canyon, Nevada and Utah, quadrangle
and
parts of the Ibapah Peak, Utah, and Tippett Canyon, Nevada, quadrangles, U.S. Geological Survey Open-
File

Report OF 94-635, 6 p..

Scale: 24000

Latitude: N: 395230

S: 394500

Longitude: W 1141000

E: 1135730

Ref#

- 2613 Nutt, C.J.; Yanbrick, R.A., 1989, Preliminary geologic map showing igneous-related breccias in Cambrian and older quartzites, Drum Mountains, Utah, U.S. Geological Survey Open-file Report 89-99. Scale: 12000
 Latitude: N: 393450 S: 393115 Longitude: W 1125840 E: 1130230
- 1963 Nutt, C.J.; Zimbelman, D.R.; Campbell, D.L.; Duval, J.S.; Hannigan, B.J., 1990, Mineral resources of the Deep Creek Mountains wilderness study area, Juab and Tooele counties, Utah, U.S. Geological Survey Bulletin 1745-C, p. C1-C40, pl. 1. Scale: 50000
 Latitude: N: 400345 S: 394000 Longitude: W 1140000 E: 1134500
- 1228 Olivera, M.E., 1975, Geology of the Fish Springs mining district, Fish Springs Range, Utah, Brigham Young University Geology Studies v. 22, pt. 1, p. 69-104. Scale: 20000
 Latitude: N: 395240 S: 394900 Longitude: W 1132930 E: 1132730
- 947 Olivera, M.E., 1975, Geology of the Fish Springs mining district, Fish Springs Range, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 20000
 Latitude: N: 395240 S: 394900 Longitude: W 1132930 E: 1132730
- 2200 Oviatt, C.G., 1987, Quaternary geology of the Sevier Desert, Utah, Utah Geological and Mineral Survey Open-File Report 106, 79 p.. Scale: 100000
 Latitude: N: 393000 S: 390000 Longitude: W 1131500 E: 1123000
- 2216 Oviatt, C.G., 1989, Quaternary geology of Fish Springs Flat, Juab, Utah, Utah Geological and Mineral Survey Open-File Report 158, 40 p.. Scale: 50000
 Latitude: N: 395420 S: 393310 Longitude: W 1132730 E: 1130730
- 782 Oviatt, C.G., 1989, Quaternary geology of part of the Sevier Desert, Millard County, Utah, Utah Geological and Mineral Survey Special Studies 70, 41 p., pl. 1. Scale: 100000
 Latitude: N: 393000 S: 390000 Longitude: W 1131500 E: 1123000
- 2221 Oviatt, C.G., 1990, Quaternary geology of the Scipio Valley area, Millard, Juab, and Sanpete Counties, Utah, Utah Geological and Mineral Survey Open-File Report 187, 42 p.. Scale: 62500
 Latitude: N: 393000 S: 390000 Longitude: W 1121500 E: 1120000
- 2019 Oviatt, C.G., 1991, Quaternary geology of Fish Springs Flat, Juab County, Utah, Utah Geological Survey Special Studies 77, 16 p., pl. 1. Scale: 50000
 Latitude: N: 395400 S: 393330 Longitude: W 1133000 E: 1130730
- 1980 Oviatt, C.G., 1992, Quaternary geology of the Scipio Valley area, Millard and Juab Counties, Utah, Utah Geological and Mineral Survey Special Studies 79, 16 p., pl. 1. Scale: 62500
 Latitude: N: 393000 S: 390000 Longitude: W 1121230 E: 1120000
- 2262 Oviatt, C.G.; Sack, Dorothy; Felger, T.J., 1994, Quaternary geologic map of the Old River Bed and vicinity, Millard, Juab, and Tooele Counties, Utah, Utah Geological Survey Map 161, pl. 1. Scale: 62500
 Latitude: N: 400000 S: 393000 Longitude: W 1130000 E: 1123730
- 1025 Pampeyan, E.H., 1984, Geologic map of the Lynndyl 30'x60' quadrangle, Tooele, Juab, Utah, and Millard Counties, Utah, U.S. Geological Survey Open-File Report OF 84-660. Scale: 100000
 Latitude: N: 400000 S: 393000 Longitude: W 1130000 E: 1120000
- 1206 Pampeyan, E.H., 1989, Geologic map of the Lynndyl 30'x 60' quadrangle, west-central Utah, U.S.

Geological

Survey Miscellaneous Investigations Series Map I-1830.

Scale: 100000

Latitude: N: 400000 S: 393000

Longitude: W 1130000 E: 1120000

Ref#

- 2274 Peterson, D.M., 1976, Geology of the Tungsten Mine locations in the House Range, Salt Lake City, University of Utah M.S. Thesis 73 p.. Scale: 50000
 Latitude: N: 391400 S: 390800 Longitude: W 1132700 E: 1132100
- 822 Peterson, J.B., 1979, A petrological study of the Fumarole Butte volcanic complex, Utah, Salt Lake City, University of Utah M.S. thesis 63 p., fig. 2. Scale: 50700
 Latitude: N: 394130 S: 393300 Longitude: W 1125200 E: 1124330
- 952 Pierce, C.R., 1973, Geology of the southern part of the Little Drum Mountains, Utah, Provo, Utah, Brigham Young University M.S. thesis pl. 3. Scale: 48000
 Latitude: N: 392800 S: 392100 Longitude: W 1130530 E: 1125500
- 1335 Pierce, C.R., 1974, Geology of the southern part of the Little Drum Mountains, Utah, Brigham Young University Geology Studies v. 21, pt. 1, p. 109-129, pl. 3. Scale: 48000
 Latitude: N: 392800 S: 392100 Longitude: W 1130530 E: 1125500
- 954 Powell, D.K., 1958, The geology of the southern House Range, Millard County, Utah, Provo, Utah, Brigham Young University M.S. thesis 49 p.. Scale: 38400
 Latitude: N: 391000 S: 390300 Longitude: W 1133100 E: 1131500
- 1792 Powell, D.K., 1959, The geology of southern House Range, Millard County, Utah, Brigham Young University Geology Studies v. 6, no. 1, 49 p.. Scale: 39500
 Latitude: N: 391115 S: 390235 Longitude: W 1133050 E: 1132530
- 1728 Reagan, A.B., 1929, Geology of the Deep Creek region and its environs, Kansas Academy of Science Transcript 32, p. 105-116. Scale: 187500
 Latitude: N: 401300 S: 394000 Longitude: W 1140700 E: 1135200
- 789 Rees, D.C., 1971, Geology and diatremes of Desert Mountain, Utah, Salt Lake City, University of Utah M.S. thesis 57 p.. Scale: 24000
 Latitude: N: 395000 S: 394000 Longitude: W 1123900 E: 1123000
- 1087 Rees, D.C.; Erickson, M.P.; Whelan, J.A., 1973, Geology and diatremes of Desert Mountain, Utah, Utah Geological and Mineralogical Survey Special Studies 42, 12 p., pl. 1. Scale: 24000
 Latitude: N: 395000 S: 394000 Longitude: W 1123900 E: 1123000
- 1701 Richardson, G.B., 1907, Underground water in Sanpete and central Sevier Valleys, Utah, U.S. Geological Survey Water Supply Paper W-199, pl. 2. Scale: 250000
 Latitude: N: 394000 S: 383100 Longitude: W 1121700 E: 1112200
- 1950 Rodgers, D.W., 1989, Geologic map of the Deep Creek Mountains wilderness study area, Tooele and Juab Counties, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-2099. Scale: 50000
 Latitude: N: 400335 S: 394000 Longitude: W 1140000 E: 1134500
- 1014 Sack, Dorothy, 1988, Quaternary geology of the Tule Valley, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 143, 59 p., pl. 4. Scale: 100000
 Latitude: N: 394400 S: 390000 Longitude: W 1134500 E: 1132200
- 1018 Sack, Dorothy, 1989, Geologic map of the Coyote Knolls quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 165, 21 p., pl. 1. Scale: 24000
 Latitude: N: 393000 S: 392230 Longitude: W 1133730 E: 1133000

1017 Sack, Dorothy, 1989, Geologic map of the Swasey Peak NW quadrangle, Millard County, Utah, Utah Geological and Mineral Survey Open-File Report 164, 20 p., pl. 1. Scale: 24000
Latitude: N: 393000 S: 392230 Longitude: W 1133000 E: 1132230

Ref#

- 1982 Sack, Dorothy, 1990, Quaternary geology of the Tule Valley, west-central Utah, Utah Geological and Mineral Survey Map 124, 26 p., pl. 1. Scale: 100000
 Latitude: N: 394500 S: 390000 Longitude: W 1134515 E: 1131900
- 2267 Sack, Dorothy, 1994, Geologic map of the Coyote Knolls quadrangle, Millard County, Utah, Utah Geological Survey Map 162, 18 p., pl. 1. Scale: 24000
 Latitude: N: 393000 S: 392230 Longitude: W 1133730 E: 1133000
- 2266 Sack, Dorothy, 1994, Geologic map of the Swasey Peak NW quadrangle, Millard County, Utah, Utah Geological Survey Map 163, 16 p., pl. 1. Scale: 24000
 Latitude: N: 393000 S: 392230 Longitude: W 1133000 E: 1132230
- 791 Sayre, R.L., 1971, Geology and mineral deposits of the western portion, Church Hills, Millard County, Utah, Salt Lake City, University of Utah M.S. thesis 74 p., pl. 1. Scale: 7000
 Latitude: N: 391230 S: 391100 Longitude: W 1121900 E: 1121700
- 1262 Sayre, R.L., 1974, Geology and mineralization of the Church Hills, Millard County, Utah, Utah Geological and Mineral Survey Special Studies 47, 22 p., pl. 1. Scale: 7000
 Latitude: N: 391230 S: 391030 Longitude: W 1121900 E: 1121700
- 2053 Shubat, M.A., 1993, Geologic map of the Picture Rock Hills quadrangle, Juab County, Utah, Utah Geological Survey Open-File Report 270, 67 p., pl. 1. Scale: 24000
 Latitude: N: 394500 S: 393730 Longitude: W 1130000 E: 1125230
- 2367 Shubat, M.A., 1999, Geologic map of the Picture Rock Hills quadrangle, Juab County, Utah, Utah Geological Survey Miscellaneous Publication 99-3, 22 p., pl. 1. Scale: 24000
 Latitude: N: 394500 S: 393730 Longitude: W 1130000 E: 1125230
- 2051 Shubat, M.A.; Christenson, G.E., 1992, Interim geologic map of the Keg Pass quadrangle, Juab County, Utah, Utah Geological Survey Open-File Report 235, 88 p., pl. 1. Scale: 24000
 Latitude: N: 395230 S: 394500 Longitude: W 1130000 E: 1125230
- 2465 Shubat, M.A.; Christenson, G.E., 1999, Geologic map of the Keg Pass quadrangle, Juab County, Utah, Utah Geological Survey Miscellaneous Publication 99-4, 28 p., pl. 1. Scale: 24000
 Latitude: N: 395230 S: 394500 Longitude: W 1130000 E: 1125230
- 2319 Shubat, M.A.; Felger, T.J.; King, J.K., 1996, Interim geologic map of the Keg Mountain Ranch quadrangle, Juab County, Utah, Utah Geological Survey Open-File Report 333, 96 p., pl. 1. Scale: 24000
 Latitude: N: 395230 S: 394500 Longitude: W 1125230 E: 1124500
- 2464 Shubat, M.A.; Felger, T.J.; King, J.K., 1999, Geologic map of the Keg Mountain Ranch quadrangle, Juab County, Utah, Utah Geological Survey Miscellaneous Publication 99-5, 22 p., pl. 1. Scale: 24000
 Latitude: N: 395230 S: 394500 Longitude: W 1125230 E: 1124500
- 1033 Staatz, M.H., 1963, Geology of the beryllium deposits in the Thomas Range, Juab County, Utah, U.S. Geological Survey Bulletin 1142-M, p. M1-M36, pl. 1. Scale: 12000
 Latitude: N: 394430 S: 394100 Longitude: W 1131500 E: 1131000
- 1820 Staatz, M.H.; Carr, W.J., 1964, Geology and mineral deposits of the Thomas and Dugway Ranges, Juab and Tooele Counties, Utah, U.S. Geological Survey Professional Paper 415, 188 p., pl. 1. Scale:

31680

Latitude: N: 400000 S: 394000

Longitude: W 1131500 E: 1130000

Ref#

- 1811 Staatz, M.H.; Osterwald, F.W., 1959, Geology of the Thomas Range Fluorspar district, Juab County, Utah,
 U.S. Geological Survey Bulletin 1069, 97 p., pl. 1. Scale: 12000
 Latitude: N: 394650 S: 393940 Longitude: W 1131500 E: 1130930
- 2002 Staatz, M.H.; Osterwald, F.W., 1959, Geology of the Thomas Range fluorspar district, Juab County, Utah,
 U.S. Geological Survey Bulletin 1069, 97 p., pl. 3. Scale: 6000
 Latitude: N: 394215 S: 394140 Longitude: W 1131100 E: 1131025
- 1812 Staatz, M.H.; Osterwald, F.W., 1959, Geology of the Thomas Range Fluorspar district, Juab County, Utah,
 U.S. Geological Survey Bulletin 1069, 97 p., pl. 4. Scale: 6000
 Latitude: N: 394500 S: 394340 Longitude: W 1131015 E: 1130930
- 687 Staub, A.M., 1975, Geology of the Picture Rock Hills quadrangle, southwestern Keg Mountains, Juab County, Utah, Salt Lake City, University of Utah M.S. thesis 87 p.. Scale: 24000
 Latitude: N: 394500 S: 393730 Longitude: W 1130000 E: 1125230
- 1968 Stoesser, D.B.; Campbell, D.L.; Labson, Victor; Zimbelman, D.R.; Podwysocki, M.H.; Brickey, D.W.; Duval, J.S.;
 Cook, K.L.; Lundby, William, 1990, Mineral resources of the Notch Peak wilderness study area, Millard County, Utah, U.S. Geological Survey Bulletin 1749-C, 28 p., pl. 1. Scale: 50000
 Latitude: N: 391500 S: 390350 Longitude: W 1132745 E: 1131730
- 1768 Stokes, W.L., 1951, in Stokes, W.L., editor, Geology of the Canyon, House, and Confusion Ranges, Millard County, Utah Geologic map of west central Utah, Intermountain Association of Petroleum Geologists Guidebook Sixth Annual Field Conference, 113 p., pl. 2. Scale: 187500
 Latitude: N: 395500 S: 383230 Longitude: W 1140330 E: 1130000
- 838 Stokes, W.L.; compiler, 1962, Geologic map of Utah (northwest quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
 Latitude: N: 420000 S: 392230 Longitude: W 1140300 E: 1113730
- 2560 Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000
 Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 1243 Stringham, B.F., 1942, Mineralization in the West Tintic mining district, Utah, Geological Society of America Bulletin v. 53, p. 267-290, pl. 1. Scale: 14000
 Latitude: N: 395100 S: 394930 Longitude: W 1122600 E: 1122300
- 1292 Stringham, B.F., 1961, Reconnaissance geologic map of the Desert Mountain area, Juab County, Utah, Utah State Mapping Project unpublished map . Scale: 63360
 Latitude: N: 395000 S: 394230 Longitude: W 1124130 E: 1123430
- 57 Thomas, G.H., 1958, Geology of the Indian Springs quadrangle, Tooele and Juab Counties, Utah, Brigham Young University Geology Studies v. 5, no. 4, 35 p., pl. 1. Scale: 28000
 Latitude: N: 400000 S: 395230 Longitude: W 1124500 E: 1123730
- 965 Thomas, G.H., 1958, Geology of the Indian Springs quadrangle, Tooele and Juab Counties, Utah, Provo, Utah, Brigham Young University M.S. thesis 35 p.. Scale: 28000
 Latitude: N: 400000 S: 395230 Longitude: W 1124500 E: 1123730

806 Thomson, K.C., 1970, Mineral deposits of the Deep Creek Mountains, Tooele and Juab Counties, Utah,
Salt

Lake City, University of Utah Ph.D. dissertation 350 p..

Scale: 63360

Latitude: N: 400700 S: 394130

Longitude: W 1140330

E: 1134130

Ref#

- 1112 Thomson, K.C., 1973, Mineral deposits of the Deep Creek Mountains, Tooele and Juab Counties, Utah, Utah
 Geological and Mineralogical Survey Bulletin 99, 76 p., pl. 2. Scale: 63360
 Latitude: N: 400730 S: 393440 Longitude: W 1140300 E: 1134645
- 1721 Tower, G.W., Jr.; Smith, G.O., 1899, Geology and mining industry of the Tintic district, U.S. Geological Survey
 Annual Report 19th, pt. 3, p. 601-767, pl. 74. Scale: 62500
 Latitude: N: 400000 S: 394500 Longitude: W 1121000 E: 1115500
- 1722 Tower, G.W., Jr.; Smith, G.O., 1899, Geology and mining industry of the Tintic district, U.S. Geological Survey
 Annual Report 19th, pt. 3, p. 601-767, pl. 76. Scale: 9600
 Latitude: N: 395800 S: 395400 Longitude: W 1120830 E: 1120530
- 690 Tucker, L.M., 1954, Geology of the Scipio [Scipio Pass, Scipio South, Coffee Peak, and Scipio Lake] 15' quadrangle, Utah, Columbus, Ohio State University Ph.D. dissertation 360 p., pl. 2. Scale: 31680
 Latitude: N: 391500 S: 390000 Longitude: W 1121500 E: 1120000
- 33 Varnes, D.J.; Van Horn, Richard, 1951, Surficial geology of the Oak City area, Millard County, Utah, U.S. Geological Survey Open-File Report OF 51-114. Scale: 48000
 Latitude: N: 393500 S: 391500 Longitude: W 1123000 E: 1121215
- 1412 Varnes, D.J.; Van Horn, Richard, 1984, Surficial geologic map of the Oak City area, Millard County, Utah, U.S. Geological Survey Open-File Report OF 84-115. Scale: 31680
 Latitude: N: 393500 S: 391500 Longitude: W 1123000 E: 1121215
- 1942 Varnes, D.J.; Van Horn, Richard, 1991, Surficial geologic map of the Oak City area, Millard County, Utah, U.S. Geological Survey Open-File Report OF 91-433, sh. 1 of 4. Scale: 31680
 Latitude: N: 393500 S: 391500 Longitude: W 1123000 E: 1121500
- 818 Wang, Y.F., 1970, Geological and geophysical studies of the Gilson Mountains and vicinity, Juab County, Utah, Salt Lake City, University of Utah Ph.D. dissertation 126 p., pl. 1. Scale: 24000
 Latitude: N: 394500 S: 393300 Longitude: W 1122000 E: 1120500
- 1920 Wiese, J.H.; Granger, A.E.; Shride, A.F.; Hobbs, S.W., 1945, Desert tungsten mine area, West Tintic mining district, Utah, U.S. Geological Survey Preliminary Map unnumbered, pl. 1. Scale: 1200
 Latitude: N: 394859 S: 394853 Longitude: W 1122528 E: 1122522
- 1921 Wiese, J.H.; Granger, A.E.; Shride, A.F.; Hobbs, S.W., 1945, Desert tungsten mine area, West Tintic mining district, Utah, U.S. Geological Survey Preliminary Map unnumbered, pl. 2. Scale: 480
 Latitude: N: 394857 S: 384855 Longitude: W 1122526 E: 1122524
- 1278 Wilson, S.R., 1950, Investigation of the West Tintic tungsten deposit, Juab County, Utah, U.S. Bureau of Mines Report of Investigation 4640, fig. 2. Scale: 1800
 Latitude: N: 395000 S: 394950 Longitude: W 1122430 E: 1122420
- 2433 Yambrick, R.A., 1990, Geologic map of the Eastern Simpson Mountains, Tooele and Juab Counties, Utah, University of California, Riverside M.S. thesis 181 p.. Scale: 24000
 Latitude: N: 400000 S: 395230 Longitude: W 1124205 E: 1123535

